<u>|</u>_

IJ

30. The prepress imaging system of claim 28, where in the output device comprises a imagesetter for imaging the combined raster data onto a medium.

platesetter for imaging the combined raster data onto a printing plate.

31. The prepress imaging system of claim 28, further comprising a raster image processor in communication with the print drive input terminal, said raster image processor for interpreting a page description language.

The prepress imaging system of claim 28, where in the output device comprises a

- 32. The prepress imaging system of claim 31, further comprising a front end comprising a general purpose computer in communication with the raster image processor for providing page description language files to the raster image processor.
- The prepress imaging system of claim 31, further comprising an image server in 33/ communication with the raster image processor, the image server for storing image files for processing by a raster image processor.
- 34. The prepress imaging system of claim 33, further comprising a front end comprising a/general purpose computer in communication with said raster image processor for providing page description language files to said image server.

REMARKS

This Preliminary Amendment is being submitted to claim the Applicants' invention within the allowable scope of the prior art. Claims 1-16, 18-21 and 27-34 are now pending in this application. No new matter is being introduced by the present amendment. Applicants respectfully request entry of this amendment prior to examination of the application on the merits.

If the Examiner believes that a telephone conference with Applicants' attorney would be helpful, the Examiner is invited to contact the Applicants' attorney at the number below. Please direct all correspondence to:

Bloomquist *et al.* Page 5

Agfa Corporation Law and Patent Department 200 Ballardvale Street Wilmington, MA 01887-1069

Tel. No.: (978) 658-0200, Ext. 5947

Fax No.: (978) 694-7709

Date: July 12, 2001 Reg. No. 41,059

Tel. No.: (617) 248-7176 Fax No.: (617) 248-7100

2117823

Respects//////ubmitted,

Ira V. Heffan

Attorney for Applicants

Testa, Hurwitz, & Thibeault, LLP

125 High Street Boston, MA 02110 Bloomquist et al. Page 6

MARKED-UP COPY OF CLAIMS 1, 10, AND 26 AS AMENDED

1. (Amended) An imaging method for combining first raster data and second raster data, comprising the steps of:

receiving at a print drive from at least one raster image processor the first raster data of a first image processed by the at least one raster image processor, the print drive comprising a job control system for receiving, storing, digitally combining, and initiating output of raster data, and a user interface for directing operation of the job control system by a system operator;

receiving the second raster data of a second image processed by [said] the at least one raster image processor;

facilitating selection of the first raster data and the second raster data via the user interface; and

digitally combining by the print drive in response to direction received via the user interface the first raster data and the second raster data to form combined raster data representing a resultant image.

10. (Amended) A print drive for controlling operations in a prepress printing system having at least one raster image processor, the print drive comprising:

a print drive input terminal receiving, from the at least one raster image processor, first raster data of a first image and second raster data of a second image; [and]

a job control system for receiving, storing, digitally combining, and initiating output of raster data; and

a user interface for facilitating direction of the print drive job control system by a system operator;

wherein the job control system comprises a digital image combiner electrically coupled to the print drive input terminal, the digital image combiner in response to direction received via the user interface digitally combining the first raster data and the second raster data to form combined raster data representing a resultant image.

Bloomquist et al. Page 7

20. (Amended) A [prepress] imaging system for digital doubleburning [or digital masking], comprising:

an image acquisition device for acquiring a first image and a second image;

at least one raster image processor, in electrical communication with the image acquisition device, for processing the first image to create first raster data and for processing the second image to create second raster data; and

a print drive, comprising:

a print drive input terminal receiving, from the at least one raster image processor, first raster data of a first image and second raster data of a second image;

a job control system for receiving, storing, digitally combining, and initiating output of raster data;

a user interface for facilitating direction of the print drive job control system by a system operator;

wherein the job control system comprises a digital image combiner in communication with the print drive input terminal, the digital image combiner in response to direction received via the user interface [in electrical communication with said at least one raster image processor, the print driver] digitally combining the first raster data and the second raster data to form combined raster data representing a resultant image.